

GOVERNMENT POLYTECHNIC COLLEGE, KASARAGOD

No: GPCKSD/290/2025-D

Dated:21-03-2026

QUOTATION NOTICE

Quotation Number	05/2025-26
Due date and time for receipt of quotations	07/04/2026, 2.00 PM
Date and time for opening of quotations	07/04/2026, 02.45 PM
Date up to which the rates are to remain firm for acceptance	30/06/2026
Designation and address of officer to whom the quotation is to be addressed	The Principal Govt. Polytechnic College, Kasaragod P.O. Periye – 671320, Kasaragod District
Superscription :Quotation for	Quotation No: 05/2025-26, Supply of equipments for Surveying lab under Civil Engineering Department.

Sealed quotations are invited for the supply of the materials specified in the schedule attached below/overleaf. The rates quoted should be for delivery of the articles at the place mentioned below the schedule. The necessary superscription, due date for the receipt of quotations, the date up to which the rates will have to remain firm for acceptance and the name and address of officer to whom the quotation is to be sent are noted above. Any quotation received after the time fixed on the due date is liable to be rejected. The maximum period required for delivery of the articles should also be mentioned. Quotations not stipulating period of firmness and with price variation clause and/or subject to prior sale' condition are liable to be rejected.

The acceptance of the quotations will be subject to the following conditions:

1. Acceptance of the quotation constitutes a concluded contract. Nevertheless, the successful tenderer must within a fortnight/a month after the acceptance of his quotation furnish 5 per cent of the amount of the contract as security deposit and execute an agreement at his own cost for the satisfactory fulfillment of the contract, if so required.
2. Withdrawal from the quotation after it is accepted or failure to supply

within a specified time or according to specifications will entail cancellation of the order and purchases being made at the offerers expenses from elsewhere, any loss incurred thereby being payable by the defaulting, party. In such an event the Government reserves also the right to remove the defaulter's name from the list of Government suppliers permanently or for a specified numbers of years.

3. Samples duly listed should be forwarded if called for under separate cover and the unapproved samples got back as early as possible by the offerers at their own expenses and the Government will in no case be liable for any expenses on account of the value of the samples or their transport charges, etc. In case, the samples are sent by railway; the railway receipt should be sent separately, and not along with the quotation since the quotation will be opened only on the appointed day and demurrage will have to be paid if the railway parcels are not cleared in time. Quotations for the supply of materials are liable to be rejected unless samples, if called for of the materials tendered for the forwarded. The approved samples may or may not be returned at the discretion of the undersigned. Samples sent by V.P. Post or "freight to pay" will not be accepted.

4. No. representation for enhancement of price once accepted will be considered during the currency of the contract.

5. Any attempt on the part of tenderers or their agents to influence the officers concerned in their favor by personal canvassing will disqualify the tenderers.

6. If any license or permit is required tenderers must specify in their quotation and also state the authority to whom application is to be made

7. The quotation may be for the centre or part supplies. But the tenderers should be prepared to carry out such portion of the supplies included in their quotation as may be allotted to them.

(a) In case where a successful tenderer, after having made partial supplies fails to fulfill the contracts in full, all or any of the materials not supplies may, at the discretion of the Purchasing, Officer be purchased by means of another tender/quotation or by negotiation or from the next higher tenderer who had offered to supply already and the loss, if any, caused to the Government should thereby together with such sums as may be fixed by the Government towards damages be recovered from the defaulting tenderer.

(b) Even in cases where no alternate purchases are arranged for the materials not supplied, the proportionate portion of the security deposit based on the cost of the materials not supplied at the rate shown in the tender of the defaulter should be forfeited and balance alone shall be refunded.

(c) Any sum of money due and payable to the contractor (Including Security Deposit returnable to him) under this contract may be appropriated by the Purchasing Officer or Government or any other person authorized by Government and set-off against any claim of the Purchasing Officer or Government for the payment of a sum of money arising out of or under any other contract made by the contractor with the Purchasing Officer or Government or any other person authorized by Government.

8. The prices quoted should be inclusive of all taxes, duties, cesses, etc., which are or may become payable by the contractor under existing or future laws or rules of the country of origin/supply or delivery during the course of execution of the contract.

9. (a) Ordinarily payments will be made only after the supplies are actually verified and taken to stock but in exceptional cases, payments against satisfactory shipping documents including certificates of Insurance will be made up to 90 per cent of the value of the materials at the discretion of Government. Bank charges incurred in connection with the payment against documents through bank will be to the account of the contractor. The firms will produce stamped pre-receipts/shipping documents where payments (advance/final) for release of railway receipts/shipping documents are made through Banks. In exceptional cases where the stamped receipts of the firms are not received for the payments (in advance) the unstamped receipt of the Bank (i.e. counterfoils of pay-in-slips issued by the Bank) alone may be accepted as a valid poor for the payment made.

10. Any sum of money due and payable to the successful tenderer or contract or from Government shall be adjusted against any sum of money due to Government from him under any other contracts.

11. Special conditions, if any, printed on the quotation sheets of the tenderer or attached with the tender will not be applicable to the contract unless they are expressly accepted in writing by the purchases.

Place: Periyé

Date:21-03-2026

(Name & Signature of Purchasing Officer)

GOVERNMENT POLYTECHNIC COLLEGE, KASARAGOD

No: GPCKSD/290/2025-D

Dated:21-03-2026

List of Equipments for Surveying lab under Civil Engineering Department.			
Sl. No.	Details of Items with Specification	Requirement	Remarks
1	Ranging Rod (2.0 m double length) Made of well seasoned straight grain timber of teak, blue pine or deodar; Overall length 2000 ± 10mm, Nominal diameter 30mm; Length of band 200±3mm	5 Nos.	
2	Ranging Rod (2.0 m single length) Made of well seasoned straight grain timber of teak, blue pine or deodar; Overall length 2000 ± 10mm, Nominal diameter 30mm; Length of band 200±3mm	5 Nos.	
3	Offset rod (2.0 m single length) Made of well seasoned straight grain timber of teak, blue pine or deodar; Overall length 2000 ± 10mm, Nominal diameter 30mm; Length of band 200±3mm	4 Nos.	
4	Prismatic Compass (100 mm diameter) Consists of a brass or aluminum circular box with a diameter of 100mm; Aluminum circle consists of a needle graduated to 30 min.; Graduations can be magnified by sliding the prism fitted with colored glasses having a sighting slit at the top	5 Nos.	
5	Dumpy level Magnification - 24x; Standard Deviation (per km double-run) - 2.0mm; With compatible tripod & allied accessories	3 Nos.	
6	Measuring tape 10 m Material - Fibreglass	2 Nos.	
7	Measuring tape 20 m Material - Fibreglass	2 Nos.	

8	Transit theodolite Image Erect; Length 178 mm; Magnification 25x; Effective Aperture 38mm; Field of View 2.6 m at 100m; Stadia Ratio 1:100; Stadia Constant 0; Resolving Power 4"; Circle Diameter Hz113mm, V100mm Vernier Reading 20"; Plate Level Sensitivity 45"/2mm	1 No.	
9	Garden Umbrella with stand - 6ft high	4 Nos.	
10	Sledge Hammer	5 Nos.	
11	Laser Distance Measurer Measuring range (typical) 0.15-40 m; Measuring accuracy (typical) ± 2.0 mm; Lowest indication unit 1 mm; Laser class 2	1 No.	

Terms and Conditions:

1. The supply of materials should be done at Survey Lab in Civil Engineering Department of Government Polytechnic College Kasaragod at Periyé.
2. All Rates / costs should be included all types of taxes, transportation and other incidental charges etc.
3. Payment only after 30 days of the supply of the Materials and its verification.
4. For Technical Assistance in this regard, please contact Smt. Sheba Babu, Lecturer in Civil Engineering, Govt.Polytechnic College Kasaragod (Mob: 8281752122)
5. All the items should be with Good quality and as per Specification.
6. The following documents should be produced after the supply of materials:
 - (a) Invoice in triplicate copies (with GST Number)
 - (b) Warranty / Guarantee Card
 - (c) Advanced Stamped Receipt
 - (d) Bank Account Details

NARAYANA NAIK P
PRINCIPAL

Copy to:

1. Various Firms
2. District Information Officer, Kasaragod (For wide publicity in all printed & Visual Medias (with C/L)
3. Director of Technical Education, Thiruvananthapuram with C/L (for uploading in DTE's Website)
4. Notice Board (Institution /PullurPeriye Grama Panchayath Office/Village Office Periye)
5. Sri Anoop P P, Lecturer in Civil Engineering & Head of Department (in charge).
6. Smt. Sheba Babu, Lecturer in Civil Engineering Department.
7. Sri. Abhijith M K, Demonstrator, Computer Engineering (For uploading in institution website) (<http://gpckasaragod.ac.in/>)
8. SF/OC